

# SUBMITTAL DATA - INDOOR UNIT VEXD048N432U VRF SUPER HIGH STATIC FAN COIL EVAPORATOR

Job Name:	Engineer:		
Location:	Architect:		
Schedule No.:	Date:		
System Designation:	For: Reference Approval Review Construction		

### **FEATURES**

- Auto Addressing installation
- Auto Restart
- Adjustable ESP Setting
- Integrated Condensate Pump
- Built-in Electronic Expansion Valve
- LED Display Optional

- Flare Connections
- Anti-Freezing Protection
- Steel Cabinet

#### PRODUCT WARRANTY

All covered components - Five year limited warranty

# SPECIFICATIONS PERFORMANCE

# Cooling Canacity

	47,768
	54,592
High	1380
Medium	1120
Low	975
Pa	0 - 200
in. WC	0 - 0.803
H/M/L	42/39/37
	Medium Low Pa in. WC




Power Supply (V / Ph / Hz)	220-240/1/50 - 208	3-230/1/60
MOP (A)		6
Rated Current (A)	Cooling	2
	Heating	2

### **DIMENSIONS**

Unit Dimensions (in)	Height	11-13/16
	Width	55-1/8
	Depth	27-9/16
Limited Direct Communition (in)		0/0

Liquid Pipe Connection (in)	3/8
Gas Pipe Connection (in)	5/8
Shipping Weight (lb)	147.74
Net Weight (lb)	127.89





- 1. Air Filter
- 2. Air Inlet
- 3. Air Outlet
- 4. Fittings
- 5. Drain Pipe

# NOTES:

\*Cooling and Heating Capacity data is rated at the following conditions:

Cooling: 80 °F DB / 67 °F WB Indoor, 95 °F DB Outdoor


Heating: 70 °F DB Indoor, 47 °F DB

NOTE – Due to Lennox' ongoing commitment to quality, Specifications, Ratings and Dimensions subject to change without notice and without incurring liability. Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury. Installation and service must be performed by a qualified installer and servicing agency. ©2017 Lennox Industries Inc.



# SUBMITTAL DATA - INDOOR UNIT VEXD048N432U VRF SUPER HIGH STATIC FAN COIL EVAPORATOR

## DIMENSIONAL DRAWINGS



	mm	in
В	700	27-9/16
D	1400	55-1/8
J	300	11-13/16

NOTE – Due to Lennox' ongoing commitment to quality, Specifications, Ratings and Dimensions subject to change without notice and without incurring liability. Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury. Installation and service must be performed by a qualified installer and servicing agency. ©2017 Lennox Industries Inc.